UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

· APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/743,375	12/23/2003	Kiyohisa Ichino	Q79111	8962
	7590 01/22/2008 ON PLLC	EXAMINER		
SUGHRUE MION, PLLC 2100 PENNSYLVANIA AVENUE, N.W. SUITE 800 WASHINGTON, DC 20037			LIU, BEN H	
			ART UNIT	PAPER NUMBER
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, 20 2001		2616	
			MAIL DATE	DELIVERY MODE
		•	01/22/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
•	•					
Office Action Summany	10/743,375	ICHINO, KIYOHISA				
Office Action Summary	Examiner	Art Unit				
	Ben H. Liu	2616				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	I. the mailing date of this communication. D (35 U.S.C. § 133).				
Status	·					
1) Responsive to communication(s) filed on Septe	ember 26, 2007.	,				
,	This action is FINAL . 2b) This action is non-final.					
·) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-6,8 and 10-17</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-6,8 and 10-17</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examine	r.					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)⊠ All b)□ Some * c)□ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
AMA-1						
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:						

10/743,375 Art Unit: 2616

DETAILED ACTION

Response to Amendment

- 1. This is in response to an amendment/response filed on September 26, 2007.
- 2. Claims 1, 2, 5, 6, 8, 10, and 12 have been amended.
- 3. Claims 7 and 9 have been cancelled.
- 4. Claims 14-17 have been added.
- 5. Claims 1-6, 8, and 10-17 are currently pending.

Specification

6. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

10/743,375 Art Unit: 2616

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 9. Claims 1-2, 4, 8, and 10-17 rejected under 35 U.S.C. 103(a) as being unpatentable over Murase (U.S. Patent 6,388,994) in view of Kelly et al. (U.S. Patent Application Publication 2003/0185212).

For claims 1, 8, 10, and 12, Murase discloses a transmission system, comprising a sending device for converting higher-layer protocol data to continuous blocks of a fixed length, inserting idle blocks between the continuous blocks to match the sending rate to the transmission rate of the transmission line, and transmitting (see column 4 lines 42-57, which recite a transmitting station that includes a dummy data generator for inserting continuous, fixed-length ATM cells to the ATM switching system). The transmission system also comprises at least one stage of relay devices for receiving continuous data blocks and idle blocks, discarding these idle blocks to extract only the valid continuous blocks, and then inserting idle blocks between the valid continuous blocks to match the sending rate to the transmission rate of the transmission line on a transmission side and transmitting to a prescribed transfer destination (see column 5 lines 1-4 and figure 3, which recite installing the traffic rate controller in any of the terminal stations and relaying stations such as the ATM switching system 103 in between the terminal stations). The transmission system further comprises a receiving device for receiving the continuous blocks and the idle blocks from the relay device of the final stage, discarding these idle blocks to extract only the valid blocks, and reconstructing said higher-layer protocol data from said valid

10/743,375 Art Unit: 2616

blocks (see column 5 lines 5-13, which recite a receiving station that includes a dummy data detector to detect and discard dummy continuous, fix-length ATM cells).

Murase discloses all the subject matter of the claimed invention with the exception that the traffic rate controller receives continuous blocks and idle blocks and further discards the idle blocks and continuous blocks containing bit errors to extract only valid continuous blocks. Kelly et al. from the same or similar fields of endeavor disclose TDM traffic over an ATM network that detects and discards blocks containing errors (see paragraph 62). Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention to implement the method for facilitating TDM traffic over an ATM network that detects and discards blocks containing errors as taught by Kelly et al. with the transmission system including a traffic rate controller as taught by Murase. The method for facilitating TDM traffic over an ATM network that detects and discards blocks containing errors can be implemented with the transmission system including a traffic rate controller by inserting a CRC error check functional block 33 as taught by Kelly et al. in the traffic rate controller as taught by Murase. The motivation for using the method for facilitating TDM traffic over an ATM network that detects and discards blocks containing errors in the transmission system including a traffic rate controller is to ensure conformance with service level agreement for the network traffic.

For claims 2, 4, 11, 13, and 15, Murase and Kelly et al. disclose all the subject matter of the claimed invention with the exception of the following limitations: the sending device generates 18-byte blocks by converting higher-layer protocol data to a length of 133 bits and then adding supplementary information. The receiving device, after extracting only blocks that are valid, removes supplementary information from received blocks to restore the length of 133

10/743,375 Art Unit: 2616

bits, and reconstructs said higher-layer protocol data in accordance with prescribed rules as recited in claim 2, 11, 13, and 15. The transmission system wherein when the higher-layer protocol data takes the form of frames, the sending device converts said frames to a length of 133 bits by adding null data to the tails of the frames to make the frame length an integer multiple of 16 octets, and adding to each unit of 16 octets five bits of type information indicating the position of that unit within said higher-layer protocol data as recited in claim 4.

The examiner takes official notice that these limitations are well known in the art. Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention to implement these limitations with the transmission system as taught by Murase. For the relay device, Murase teaches an ATM switching system connected between the sending and receiving devices comprising of relay stations (see column 5 lines 1-4). These relay stations can include the functions of discarding idle blocks and inserting new idle blocks to match the sending rate of the transmission line. Murase teaches an ATM transmission system which uses 53 octets but can be adapted to process 18 octets. The relay station as taught by Murase can be implemented by utilizing the sending and receiving devices also taught by Murase as the relay stations of the ATM switching network. The 18-byte format can be implemented by configuring the selector, dummy data generator, and transmission data storage components as taught by Murase to generate data blocks of 18 bytes. The motivation for using the relay stations as taught by Murase with the functionality of discarding idle blocks and inserting new idle blocks to match the sending rate of the transmission line is to allow transmission from the sending device to the ATM network with one transmission rate and from the ATM network to the receiving device using a different transmission rate. The motivation for the sending and receiving devices as

. 10/743,375

Art Unit: 2616

taught by Murase to use different block sizes is to allow compatibility with different data connections.

For claims 14, 16, and 17, Murase discloses all the subject matter of the claimed invention with the exception wherein the continuous blocks containing bit errors received by the relay device are discarded based on the condition of a capacity of a storage buffer. Kelly et al. from the same or similar fields of endeavor disclose TDM traffic over an ATM network that discards blocks that can include blocks containing errors based upon the capacity of the internal buffer (see paragraph 62). Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention to implement the method for facilitating TDM traffic over an ATM network that discards blocks containing errors based upon buffer capacity as taught by Kelly et al. with the transmission system including a traffic rate controller as taught by Murase. The method for facilitating TDM traffic over an ATM network that discards blocks containing errors based upon buffer capacity can be implemented with the transmission system including a traffic rate controller by inserting a CRC error check functional block 33 as taught by Kelly et al. in the traffic rate controller as taught by Murase. The motivation for using the method for facilitating TDM traffic over an ATM network that discards blocks containing errors based upon buffer capacity in the transmission system including a traffic rate controller is to ensure conformance with service level agreement for the network traffic.

10. Claims 3, 5 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murase (U.S. Patent 6,388,994) in view of Kelly et al. (U.S. Patent Application Publication 2003/0185212) as applied to claim 1 and in further view of Mueller (U.S. Patent 7,245,633).

10/743,375

Art Unit: 2616

For claims 3, 5, and 6, Murase and Kelly et al. disclose all the subject matter of the claimed invention with the exception wherein the transmission system uses the Ethernet protocol or 8B/10B code and the sending and receiving devices utilize SONET connections. Mueller from the same or similar fields of endeavor teaches a multiplexing method for combining Gigabit Ethernet signals for transmission through SONET connections by utilizing 8B/10B coding (see column 1 lines 65-67 and column 2 lines 1-11). Thus, it would have been obvious to the person of ordinary skill in the art at the time of the invention to implement the multiplexing method as taught by Mueller with the transmission system as taught by Murase and Kelly et al. The method for combining Ethernet signals for transmission through SONET connections utilizing 8B/10B coding as taught by Murase and Kelly et al. can be easily implemented at layer 1 (see column 1 lines 28-38) through modifications to the sending and receiving devices. The motivation for using the multiplexing method as taught by Mueller is to allow for more efficient use of existing connections.

Response to Arguments

- 11. Claims 1-10 were previously objected for the minor informalities. The applicant has overcome the objection by canceling claims 7 and 9 and amending claims 1-6, 8, and 10. In response, the objections have been withdrawn.
- 12. Claim 1 was previous rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 1 recited the limitation "said valid blocks" in lines 6-7. There is

10/743,375 Art Unit: 2616

insufficient antecedent basis for this limitation in the claim. Applicant has amended to the claim to overcome the rejection. In response, the rejection has been withdrawn.

- 13. Applicant's arguments with respect to claims 1-6, 8, and 10-13 have been considered but are most in view of the new ground(s) of rejection.
- 14. Presently, claims 1-2, 4, 8, and 10-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murase (U.S. Patent 6,388,994) in view of Kelly et al. (U.S. Patent Application Publication 2003/0185212). Claims 3, 5 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murase (U.S. Patent 6,388,994) in view of Kelly et al. (U.S. Patent Application Publication 2003/0185212) as applied to claim 1 and in further view of Mueller (U.S. Patent 7,245,633).

Conclusion

- 15. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. (see form PTO-892).
- 16. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

10/743,375

Art Unit: 2616

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

17. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ben H. Liu whose telephone number is (571) 270-3118. The examiner can normally be reached on 9:00AM to 6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Firmin Backer can be reached on (571) 272-6703. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1\$600.

FIRMIN BACKER

BL